

Max Chisel MC5109

	Part #	Description	Qty.
Chisle Points	569-195S	MEDIUM CHISEL SHANK ASSEMBLY (NO SWEEP)	9
	820-032C	CHISLE POINT (REVERSIBLE 2 in.)	9
	820-332C	TWISTED SHOVEL RH (4 in.)	5
	820-333C	TWISTED SHOVEL LH (4 in.)	4
	569-438K	CHISLE POINT (WINGED 2 in.)(7.29" Wide with bolts)	9
Parabolic Points	569-409S	PARABOLIC SHANK ASSEMBLY (NO TIP)	9
	820-279C	7 in. TIP (WINGS WITH RAISED CENTER)	4
	820-282C	7 in. TIP (WINGS WITH FIN)	5
	820-277C	2 in. TIP (RAISED CENTER, NO WINGS)	9
Chopper Reel	569-322L	CHOPPER ASSEMBLY (DOUBLE)	5
	569-204K	CHOPPER HUB ASSEMBLY	10
	820-442C	CHOPPER BLADE	60
Buster Bar	569-171K	14 TINE BUSTER BAR LH	1
	599-050H	BUSTER BAR 2 TINE WELDMENT LH	7
	569-172K	14 TINE BUSTER BAR RH	1
	599-049H	BUSTER BAR 2 TINE WELDMENT RH	7
ML Roller	569-354K	ML ROLLER GANG ASSEMBLY (10 WHEEL)	3
	812-540C	ROLLER-16 OD	30
	822-293C	BEARINGS	6
Samurai Blades	820-585C	BLADE SAMURAI 24X.256 RH (GP-D1264E-)	7
	820-740C	BLADE SAMURAI 24X.256 RH (GP-D1265E+)	7
	820-586C	BLADE SAMURAI 24X.256 LH (GP-D1264E-)	7
	820-741C	BLADE SAMURAI 24X.256 LH (GP-D1265E+)	7
	820-587C	BLADE SAMURAI 22X.256 RH (GP-D1264E-)	2
	820-742C	BLADE SAMURAI 22X.256 RH (GP-D1265E+)	2
	820-588C	BLADE SAMURAI 22X.256 LH (GP-D1264E-)	2
	820-743C	BLADE SAMURAI 22X.256 LH (GP-D1265E+)	2
	820-589C	BLADE SAMURAI 20X.256 RH (GP-D1264E-)	1
	820-744C	BLADE SAMURAI 20X.256 RH (GP-D1265E+)	1
	820-590C	BLADE SAMURAI 20X.256 LH (GP-D1264E-)	1
	820-745C	BLADE SAMURAI 20X.256 LH (GP-D1265E+)	1
	820-632C	BLADE SAMURAI 18X.256 (GP-D1264E-)	2
	820-746C	BLADE SAMURAI 18X.256 (GP-D1265E+)	2
Blade Backer Plate	566-435D	BLADE BACKER PLATE - .5" HOLES (GP-D1264E-)	22
	566-491D	BLADE BACKER PLATE - .625" HOLES (GP-D1265E+)	22
Disk Hub	815-470C	DISC HUB - 1.25" for .5" bolts (GP-D1264E-)	22
	815-587C	DISC HUB - 1.25" for .625" bolts (GP-D1265E+)	22

Max Chisel MC5111

	Part #	Description	Qty.
Chisle Points	569-195S	MEDIUM CHISEL SHANK ASSEMBLY (NO SWEEP)	11
	820-032C	CHISLE POINT (REVERSIBLE 2 in.)	11
	820-332C	TWISTED SHOVEL RH (4 in.)	6
	820-333C	TWISTED SHOVEL LH (4 in.)	5
	569-438K	CHISLE POINT (WINGED 2 in.)(7.29" Wide with bolts)	11
Parabolic Points	569-409S	PARABOLIC SHANK ASSEMBLY (NO TIP)	11
	820-279C	7 in. TIP (WINGS WITH RAISED CENTER)	6
	820-282C	7 in. TIP (WINGS WITH FIN)	5
	820-277C	2 in. TIP (RAISED CENTER, NO WINGS	11
Chopper Reel	569-322L	CHOPPER ASSEMBLY (DOUBLE)	5
	569-327L	CHOPPER ASSEMBLY (SINGLE RH)	1
	569-328L	CHOPPER ASSEMBLY (SINGLE LH)	1
	569-204K	CHOPPER HUB ASSEMBLY	12
	820-442C	CHOPPER BLADE	72
Buster Bar	569-180K	16 TINE BUSTER BAR LH	1
	569-181K	16 TINE BUSTER BAR RH	1
	599-050H	BUSTER BAR 2 TINE WELDMENT LH	8
	599-049H	BUSTER BAR 2 TINE WELDMENT RH	8
ML Roller	569-363K	ML ROLLER GANG ASSEMBLY (12 WHEEL)	3
	812-540C	ROLLER-16 OD	30
	822-293C	BEARINGS	9
Samurai Blades	820-585C	BLADE SAMURAI 24X.256 RH (GP-D1264E-)	9
	820-740C	BLADE SAMURAI 24X.256 RH (GP-D1265E+)	9
	820-586C	BLADE SAMURAI 24X.256 LH (GP-D1264E-)	9
	820-741C	BLADE SAMURAI 24X.256 LH (GP-D1265E+)	9
	820-587C	BLADE SAMURAI 22X.256 RH (GP-D1264E-)	2
	820-742C	BLADE SAMURAI 22X.256 RH (GP-D1265E+)	2
	820-588C	BLADE SAMURAI 22X.256 LH (GP-D1264E-)	2
	820-743C	BLADE SAMURAI 22X.256 LH (GP-D1265E+)	2
	820-589C	BLADE SAMURAI 20X.256 RH (GP-D1264E-)	1
	820-744C	BLADE SAMURAI 20X.256 RH (GP-D1265E+)	1
	820-590C	BLADE SAMURAI 20X.256 LH (GP-D1264E-)	1
	820-745C	BLADE SAMURAI 20X.256 LH (GP-D1265E+)	1
	820-632C	BLADE SAMURAI 18X.256 (GP-D1264E-)	2
	820-746C	BLADE SAMURAI 18X.256 (GP-D1265E+)	2
Blade Backer Plate	566-435D	BLADE BACKER PLATE - .5" HOLES (GP-D1264E-)	26
	566-491D	BLADE BACKER PLATE - .625" HOLES (GP-D1265E+)	26
Disk Hub	815-470C	DISC HUB - 1.25" for .5" bolts (GP-D1264E-)	26
	815-587C	DISC HUB - 1.25" for .625" bolts (GP-D1265E+)	26

Max Chisel MC5313

	Part #	Description	Qty.
Chisle Points	569-195S	MEDIUM CHISEL SHANK ASSEMBLY (NO SWEEP)	13
	820-032C	CHISLE POINT (REVERSIBLE 2 in.)	13
	820-332C	TWISTED SHOVEL RH (4 in.)	7
	820-333C	TWISTED SHOVEL LH (4 in.)	6
	569-438K	CHISLE POINT (WINGED 2 in.)(7.29" Wide with bolts)	13
Parabolic Points	569-409S	PARABOLIC SHANK ASSEMBLY (NO TIP)	13
	820-279C	7 in. TIP (WINGS WITH RAISED CENTER)	6
	820-282C	7 in. TIP (WINGS WITH FIN)	7
	820-277C	2 in. TIP (RAISED CENTER, NO WINGS	13
Chopper Reel	569-322L	CHOPPER ASSEMBLY (DOUBLE)	7
	569-204K	CHOPPER HUB ASSEMBLY	14
	820-442C	CHOPPER BLADE	84
Buster Bar	569-167K	10 TINE BUSTER BAR LH	1
	569-168K	10 TINE BUSTER BAR RH	1
	569-169K	8 TINE BUSTER BAR LH	1
	569-170K	8 TINE BUSTER BAR RH	1
	599-050H	BUSTER BAR 2 TINE WELDMENT LH	9
	599-049H	BUSTER BAR 2 TINE WELDMENT RH	9
ML Roller	569-354K	ML ROLLER GANG ASSEMBLY (10 WHEEL)	4
	812-540C	ROLLER-16 OD	40
	822-293C	BEARINGS	8
Samurai Blades	820-585C	BLADE SAMURAI 24X.256 RH (GP-D1264E-)	11
	820-740C	BLADE SAMURAI 24X.256 RH (GP-D1265E+)	11
	820-586C	BLADE SAMURAI 24X.256 LH (GP-D1264E-)	11
	820-741C	BLADE SAMURAI 24X.256 LH (GP-D1265E+)	11
	820-587C	BLADE SAMURAI 22X.256 RH (GP-D1264E-)	2
	820-742C	BLADE SAMURAI 22X.256 RH (GP-D1265E+)	2
	820-588C	BLADE SAMURAI 22X.256 LH (GP-D1264E-)	2
	820-743C	BLADE SAMURAI 22X.256 LH (GP-D1265E+)	2
	820-589C	BLADE SAMURAI 20X.256 RH (GP-D1264E-)	1
	820-744C	BLADE SAMURAI 20X.256 RH (GP-D1265E+)	1
	820-590C	BLADE SAMURAI 20X.256 LH (GP-D1264E-)	1
	820-745C	BLADE SAMURAI 20X.256 LH (GP-D1265E+)	1
	820-632C	BLADE SAMURAI 18X.256 (GP-D1264E-)	2
	820-746C	BLADE SAMURAI 18X.256 (GP-D1265E+)	2
Blade Backer Plate	566-435D	BLADE BACKER PLATE - .5" HOLES (GP-D1264E-)	30
	566-491D	BLADE BACKER PLATE - .625" HOLES (GP-D1265E+)	30
Disk Hub	815-470C	DISC HUB - 1.25" for .5" bolts (GP-D1264E-)	30
	815-587C	DISC HUB - 1.25" for .625" bolts (GP-D1265E+)	30

Max Chisel MC5315

	Part #	Description	Qty.
Chisle Points	569-195S	MEDIUM CHISEL SHANK ASSEMBLY (NO SWEEP)	15
	820-032C	CHISLE POINT (REVERSIBLE 2 in.)	15
	820-332C	TWISTED SHOVEL RH (4 in.)	8
	820-333C	TWISTED SHOVEL LH (4 in.)	7
	569-438K	CHISLE POINT (WINGED 2 in.)(7.29" Wide with bolts)	15
Parabolic Points	569-409S	PARABOLIC SHANK ASSEMBLY (NO TIP)	15
	820-279C	7 in. TIP (WINGS WITH RAISED CENTER)	8
	820-282C	7 in. TIP (WINGS WITH FIN)	7
	820-277C	2 in. TIP (RAISED CENTER, NO WINGS	15
Chopper Reel	569-322L	CHOPPER ASSEMBLY (DOUBLE)	7
	569-327L	CHOPPER ASSEMBLY (SINGLE RH)	1
	569-328L	CHOPPER ASSEMBLY (SINGLE LH)	1
	569-204K	CHOPPER HUB ASSEMBLY	16
	820-442C	CHOPPER BLADE	96
Buster Bar	569-167K	10 TINE BUSTER BAR LH	2
	569-168K	10 TINE BUSTER BAR RH	2
	599-050H	BUSTER BAR 2 TINE WELDMENT LH	10
	599-049H	BUSTER BAR 2 TINE WELDMENT RH	10
ML Roller	569-363K	ML ROLLER GANG ASSEMBLY (12 WHEEL)	2
	569-364K	ML ROLLER GANG ASSEMBLY (11 WHEEL)	2
	812-540C	ROLLER-16 OD	46
	822-293C	BEARINGS	8
Samurai Blades	820-585C	BLADE SAMURAI 24X.256 RH (GP-D1264E-)	13
	820-740C	BLADE SAMURAI 24X.256 RH (GP-D1265E+)	13
	820-586C	BLADE SAMURAI 24X.256 LH (GP-D1264E-)	13
	820-741C	BLADE SAMURAI 24X.256 LH (GP-D1265E+)	13
	820-587C	BLADE SAMURAI 22X.256 RH (GP-D1264E-)	2
	820-742C	BLADE SAMURAI 22X.256 RH (GP-D1265E+)	2
	820-588C	BLADE SAMURAI 22X.256 LH (GP-D1264E-)	2
	820-743C	BLADE SAMURAI 22X.256 LH (GP-D1265E+)	2
	820-589C	BLADE SAMURAI 20X.256 RH (GP-D1264E-)	1
	820-744C	BLADE SAMURAI 20X.256 RH (GP-D1265E+)	1
	820-590C	BLADE SAMURAI 20X.256 LH (GP-D1264E-)	1
	820-745C	BLADE SAMURAI 20X.256 LH (GP-D1265E+)	1
	820-632C	BLADE SAMURAI 18X.256 (GP-D1264E-)	2
	820-746C	BLADE SAMURAI 18X.256 (GP-D1265E+)	2
Blade Backer Plate	566-435D	BLADE BACKER PLATE - .5" HOLES (GP-D1264E-)	34
	566-491D	BLADE BACKER PLATE - .625" HOLES (GP-D1265E+)	34
Disk Hub	815-470C	DISC HUB - 1.25" for .5" bolts (GP-D1264E-)	34
	815-587C	DISC HUB - 1.25" for .625" bolts (GP-D1265E+)	34

Max Chisel MC5317

	Part #	Description	Qty.
Chisle Points	569-195S	MEDIUM CHISEL SHANK ASSEMBLY (NO SWEEP)	17
	820-032C	CHISLE POINT (REVERSIBLE 2 in.)	17
	820-332C	TWISTED SHOVEL RH (4 in.)	9
	820-333C	TWISTED SHOVEL LH (4 in.)	8
	569-438K	CHISLE POINT (WINGED 2 in.)(7.29" Wide with bolts)	17
Parabolic Points	569-409S	PARABOLIC SHANK ASSEMBLY (NO TIP)	17
	820-279C	7 in. TIP (WINGS WITH RAISED CENTER)	8
	820-282C	7 in. TIP (WINGS WITH FIN)	9
	820-277C	2 in. TIP (RAISED CENTER, NO WINGS	17
Chopper Reel	569-322L	CHOPPER ASSEMBLY (DOUBLE)	9
	569-204K	CHOPPER HUB ASSEMBLY	18
	820-442C	CHOPPER BLADE	108
ML Roller	569-354K	ML ROLLER GANG ASSEMBLY (10 WHEEL)	2
	569-389K	ML ROLLER GANG ASSEMBLY (14 WHEEL)	2
	812-540C	ROLLER-16 OD	48
	822-293C	BEARINGS	10
Samuri Blades	820-585C	BLADE SAMURAI 24X.256 RH (GP-D1264E-)	15
	820-740C	BLADE SAMURAI 24X.256 RH (GP-D1265E+)	15
	820-586C	BLADE SAMURAI 24X.256 LH (GP-D1264E-)	15
	820-741C	BLADE SAMURAI 24X.256 LH (GP-D1265E+)	15
	820-587C	BLADE SAMURAI 22X.256 RH (GP-D1264E-)	2
	820-742C	BLADE SAMURAI 22X.256 RH (GP-D1265E+)	2
	820-588C	BLADE SAMURAI 22X.256 LH (GP-D1264E-)	2
	820-743C	BLADE SAMURAI 22X.256 LH (GP-D1265E+)	2
	820-589C	BLADE SAMURAI 20X.256 RH (GP-D1264E-)	1
	820-744C	BLADE SAMURAI 20X.256 RH (GP-D1265E+)	1
	820-590C	BLADE SAMURAI 20X.256 LH (GP-D1264E-)	1
	820-745C	BLADE SAMURAI 20X.256 LH (GP-D1265E+)	1
	820-632C	BLADE SAMURAI 18X.256 (GP-D1264E-)	2
	820-746C	BLADE SAMURAI 18X.256 (GP-D1265E+)	2
Blade Backer Plate	566-435D	BLADE BACKER PLATE - .5" HOLES (GP-D1264E-)	38
	566-491D	BLADE BACKER PLATE - .625" HOLE (GP-D1265E+)	38
Disk Hub	815-470C	DISC HUB - 1.25" for .5" bolts (GP-D1264E-)	38
	815-587C	DISC HUB - 1.25" for .625" bolts (GP-D1265E+)	38

Max Chisel MC5319

	Part #	Description	Qty.
Chisle Points	569-195S	MEDIUM CHISEL SHANK ASSEMBLY (NO SWEEP)	19
	820-032C	CHISLE POINT (REVERSIBLE 2 in.)	19
	820-332C	TWISTED SHOVEL RH (4 in.)	10
	820-333C	TWISTED SHOVEL LH (4 in.)	9
	569-438K	CHISLE POINT (WINGED 2 in.)(7.29" Wide with bolts)	19
Parabolic Points	569-409S	PARABOLIC SHANK ASSEMBLY (NO TIP)	19
	820-279C	7 in. TIP (WINGS WITH RAISED CENTER)	10
	820-282C	7 in. TIP (WINGS WITH FIN)	9
	820-277C	2 in. TIP (RAISED CENTER, NO WINGS	19
Chopper Reel	569-322L	CHOPPER ASSEMBLY (DOUBLE)	9
	569-327L	CHOPPER ASSEMBLY (SINGLE RH)	1
	569-328L	CHOPPER ASSEMBLY (SINGLE LH)	1
	569-204K	CHOPPER HUB ASSEMBLY	20
	820-442C	CHOPPER BLADE	240
ML Roller	569-354K	ML ROLLER GANG ASSEMBLY (10 WHEEL)	2
	569-390K	ML ROLLER GANG ASSEMBLY (9 WHEEL)	2
	569-391K	ML ROLLER GANG ASSEMBLY (8 WHEEL)	2
	812-540C	ROLLER-16 OD	54
	822-293C	BEARINGS	12
Samurai Blades	820-585C	BLADE SAMURAI 24X.256 RH (GP-D1264E-)	17
	820-740C	BLADE SAMURAI 24X.256 RH (GP-D1265E+)	17
	820-586C	BLADE SAMURAI 24X.256 LH (GP-D1264E-)	17
	820-741C	BLADE SAMURAI 24X.256 LH (GP-D1265E+)	17
	820-587C	BLADE SAMURAI 22X.256 RH (GP-D1264E-)	2
	820-742C	BLADE SAMURAI 22X.256 RH (GP-D1265E+)	2
	820-588C	BLADE SAMURAI 22X.256 LH (GP-D1264E-)	2
	820-743C	BLADE SAMURAI 22X.256 LH (GP-D1265E+)	2
	820-589C	BLADE SAMURAI 20X.256 RH (GP-D1264E-)	1
	820-744C	BLADE SAMURAI 20X.256 RH (GP-D1265E+)	1
	820-590C	BLADE SAMURAI 20X.256 LH (GP-D1264E-)	1
	820-745C	BLADE SAMURAI 20X.256 LH (GP-D1265E+)	1
	820-632C	BLADE SAMURAI 18X.256 (GP-D1264E-)	2
	820-746C	BLADE SAMURAI 18X.256 (GP-D1265E+)	2
Blade Backer Plate	566-435D	BLADE BACKER PLATE - .5" HOLES (GP-D1264E-)	42
	566-491D	BLADE BACKER PLATE - .625" HOLE (GP-D1265E+)	42
Disk Hub	815-470C	DISC HUB - 1.25" for .5" bolts (GP-D1264E-)	42
	815-587C	DISC HUB - 1.25" for .625" bolts (GP-D1265E+)	42