

**TURBO-TILL SERIES I
1000TT**

	PART#	DESCRIPTION	QUANTITY
Blades	820-261C	STANDARD BLADE	23
	820-011C	HEAVY BLADE	23
	822-026C	GANG BEARING (S/N 2068NN-2758NN) (GREASABLE)	8
	822-207C	GANG BEARING (S/N 1001NN-2067NN) (GREASABLE)	8
Rolling Harrow	589-258H	LG SPIDER WHEEL	18
	589-251H	SM SPIDER WHEEL	3
	822-208C	SPIDER WHEEL BEARING (GREASABLE)	4
Reel	575-988H	3 1/2' HD REEL	1
	575-989H	5' HD REEL	1
	822-208C	REEL BEARING (GREASABLE)	4

**NOTE: 822-369C CAN BE USED IN PLACE OF 822-026C (With Needed Hardware)
822-293C CAN BE USED IN PLACE OF 822-208C**

**TURBO-TILL SERIES I
1200TT**

	PART#	DESCRIPTION	QUANTITY
Blades	820-261C	STANDARD BLADE	29
	820-011C	HEAVY BLADE	29
	822-026C	GANG BEARING (S/N 2068NN-2758NN) (GREASABLE)	8
	822-207C	GANG BEARING (S/N 1001NN-2067NN) (GREASABLE)	8
Square Shaft Rolling Harrow	589-055H	SPIDER WHEEL LARGE (SQUARE SHAFT)	12
	589-056H	SPIDER WHEEL OFFSET (SQUARE SHAFT)	14
	589-094H	SPIDER WHEEL SMALL (SQUARE SHAFT)	3
	822-209C	SPIDER WHEEL BEARING SQUARE BORE (GREASABLE)	6
Rolling Harrow	589-258H	LG SPIDER WHEEL	24
	589-251H	SM SPIDER WHEEL	4
	822-208C	SPIDER WHEEL BEARING (GREASABLE)	6
Reel	575-990H	6' HD REEL	2
	822-208C	REEL BEARING (GREASABLE)	4

**NOTE: 822-369C CAN BE USED IN PLACE OF 822-026C (With Needed Hardware)
822-293C CAN BE USED IN PLACE OF 822-208C**

**TURBO-TILL SERIES I
1700TT**

	PART#	DESCRIPTION	QUANTITY
Blades	820-261C	STANDARD BLADE	41
	820-011C	HEAVY BLADE	41
	822-026C	GANG BEARING (S/N 2068NN-2758NN) (GREASABLE)	16
	822-207C	GANG BEARING (S/N 1001NN-2067NN) (GREASABLE)	16
Rolling Harrow	589-258H	LG SPIDER WHEEL	35
	589-251H	SM SPIDER WHEEL	5
	822-208C	SPIDER WHEEL BEARING (GREASABLE)	8
Reel	575-988H	3 1/2' HD REEL	3
	575-989H	5' HD REEL	1
	822-208C	REEL BEARING (GREASABLE)	8

**NOTE: 822-369C CAN BE USED IN PLACE OF 822-026C (With Needed Hardware)
822-293C CAN BE USED IN PLACE OF 822-208C**

**TURBO-TILL SERIES I
2200TT**

	PART#	DESCRIPTION	QUANTITY
Blades	820-261C	STANDARD BLADE	53
	820-011C	HEAVY BLADE	53
	822-026C	GANG BEARING (S/N 2068NN-2758NN) (GREASABLE)	16
	822-207C	GANG BEARING (S/N 1001NN-2067NN) (GREASABLE)	16
Square Shaft Rolling Harrow	589-055H	SPIDER WHEEL LARGE (SQUARE SHAFT)	22
	589-056H	SPIDER WHEEL OFFSET (SQUARE SHAFT)	24
	589-094H	SPIDER WHEEL SMALL (SQUARE SHAFT)	4
	822-209C	SPIDER WHEEL BEARING SQUARE BORE (GREASABLE)	10
Rolling Harrow	589-258H	LG SPIDER WHEEL	44
	589-251H	SM SPIDER WHEEL	5
	822-208C	SPIDER WHEEL BEARING (GREASABLE)	8
Reel	575-989H	5' HD REEL	2
	575-990H	6' HD REEL	2
	822-208C	REEL BEARING (GREASABLE)	8

**NOTE: 822-369C CAN BE USED IN PLACE OF 822-026C (With Needed Hardware)
822-293C CAN BE USED IN PLACE OF 822-208C**

**TURBO-TILL SERIES I
3000TT**

	PART#	DESCRIPTION	QUANTITY
Blades	820-261C	STANDARD BLADE	73
	820-011C	HEAVY BLADE	73
	822-026C	GANG BEARING (S/N 2068NN-2758NN) (GREASABLE)	24
	822-207C	GANG BEARING (S/N 1001NN-2067NN) (GREASABLE)	24
Square Shaft Rolling Harrow	589-055H	SPIDER WHEEL LARGE (SQUARE SHAFT)	32
	589-056H	SPIDER WHEEL OFFSET (SQUARE SHAFT)	32
	589-094H	SPIDER WHEEL SMALL (SQUARE SHAFT)	6
	822-209C	SPIDER WHEEL BEARING SQUARE BORE (GREASABLE)	14
Rolling Harrow	589-258H	LG SPIDER WHEEL	62
	589-251H	SM SPIDER WHEEL	7
	822-208C	SPIDER WHEEL BEARING (GREASABLE)	12
Reel	575-989H	5' HD REEL	6
	822-208C	REEL BEARING (GREASABLE)	12

**NOTE: 822-369C CAN BE USED IN PLACE OF 822-026C (With Needed Hardware)
822-293C CAN BE USED IN PLACE OF 822-208C**

**TURBO-TILL SERIES I
4000TT**

	PART#	DESCRIPTION	QUANTITY
Blades	820-261C	STANDARD BLADE	97
	820-011C	HEAVY BLADE	97
	822-026C	GANG BEARING (S/N 2068NN-2758NN) (GREASABLE)	32
	822-207C	GANG BEARING (S/N 1001NN-2067NN) (GREASABLE)	32
Square Shaft Rolling Harrow	589-055H	SPIDER WHEEL LARGE (SQUARE SHAFT)	40
	589-056H	SPIDER WHEEL OFFSET (SQUARE SHAFT)	45
	589-094H	SPIDER WHEEL SMALL (SQUARE SHAFT)	9
	822-209C	SPIDER WHEEL BEARING SQUARE BORE (GREASABLE)	18
Rolling Harrow	589-258H	LG SPIDER WHEEL	84
	589-251H	SM SPIDER WHEEL	10
	822-208C	SPIDER WHEEL BEARING (GREASABLE)	18
Reel	575-988H	3 1/2' HD REEL	2
	575-989H	5' HD REEL	4
	575-990H	6' HD REEL	2
	822-208C	REEL BEARING (GREASABLE)	16

**NOTE: 822-369C CAN BE USED IN PLACE OF 822-026C (With Needed Hardware)
822-293C CAN BE USED IN PLACE OF 822-208C**

**TURBO-TILL SERIES II
1200TT**

Blades	820-011C	HEAVY BLADE	29
	822-369C	GANG BEARING (S/N 5251NN+) (MAINTENANCE FREE)	8
	822-026C	GANG BEARING (S/N 2759NN-5250NN) (GREASABLE)	8
Rolling Harrow	589-258H	LG SPIDER WHEEL (S/N 2759NN-5250NN)	24
	589-251H	SM SPIDER WHEEL (S/N 2759NN-5250NN)	4
	822-208C	SPIDER WHEEL BEARING (S/N 2759NN-5250NN) (GREASABLE)	6
	589-258H	LG SPIDER WHEEL (S/N 5251NN+)	24
	589-251H	SM SPIDER WHEEL (S/N 5251NN+)	1
	589-500H	MED SPIDER WHEEL (S/N 5251NN+)	3
	822-293C	SPIDER WHEEL BEARING (S/N 5251NN+) (MAINTENANCE FREE)	6
Reel	575-990H	6' HD REEL	2
	822-208C	REEL BEARING (S/N 2759NN-5250NN) (GREASABLE)	4
	822-293C	REEL BEARING (S/N 5251NN+) (MAINTENANCE FREE)	4

**NOTE: 822-369C CAN BE USED IN PLACE OF 822-026C (With Needed Hardware)
822-293C CAN BE USED IN PLACE OF 822-208C**

**TURBO-TILL SERIES II
1500TT**

	PART#	DESCRIPTION	QUANTITY
Blades	820-261C	STANDARD BLADE	37
	820-011C	HEAVY BLADE	37
	822-369C	GANG BEARING (S/N 5251NN+) (MAINTENANCE FREE)	12
	822-026C	GANG BEARING (S/N 2759NN-5250NN) (GREASABLE)	12
Rolling Harrow	589-258H	LG SPIDER WHEEL (S/N 2759NN-5250NN)	32
	589-251H	SM SPIDER WHEEL (S/N 2759NN-5250NN)	4
	822-208C	SPIDER WHEEL BEARING (S/N 2759NN-5250NN) (GREASABLE)	6
	589-258H	LG SPIDER WHEEL (S/N 5251NN+)	32
	589-251H	SM SPIDER WHEEL (S/N 5251NN+)	1
	589-500H	MED SPIDER WHEEL (S/N 5251NN+)	3
	822-293C	SPIDER WHEEL BEARING (S/N 5251NN+) (MAINTENANCE FREE)	6
Reel	575-989H	5' HD REEL	1
	575-990H	6' HD REEL	2
	822-208C	REEL BEARING (S/N 2759NN-5250NN) (GREASABLE)	6
	822-293C	REEL BEARING (S/N 5251NN+) (MAINTENANCE FREE)	6

**NOTE: 822-369C CAN BE USED IN PLACE OF 822-026C (With Needed Hardware)
822-293C CAN BE USED IN PLACE OF 822-208C**

**TURBO-TILL SERIES II
1800TT**

	PART#	DESCRIPTION	QUANTITY
Blades	820-261C	STANDARD BLADE	43
	820-011C	HEAVY BLADE	43
	822-369C	GANG BEARING (S/N 5251NN+) (MAINTENANCE FREE)	16
	822-026C	GANG BEARING (S/N 2759NN-5250NN) (GREASABLE)	16
Rolling Harrow	589-258H	LG SPIDER WHEEL (S/N 2759NN-5250NN)	35
	589-251H	SM SPIDER WHEEL (S/N 2759NN-5250NN)	5
	822-208C	SPIDER WHEEL BEARING (S/N 2759NN-5250NN) (GREASABLE)	8
	589-258H	LG SPIDER WHEEL (S/N 5251NN+)	35
	589-251H	SM SPIDER WHEEL (S/N 5251NN+)	1
	589-500H	MED SPIDER WHEEL (S/N 5251NN+)	4
	822-293C	SPIDER WHEEL BEARING (S/N 5251NN+) (MAINTENANCE FREE)	8
Reel	575-988H	3 1/2' HD REEL	1
	575-989H	5' HD REEL	3
	822-208C	REEL BEARING (S/N 2759NN-5250NN) (GREASABLE)	8
	822-293C	REEL BEARING (S/N 5251NN+) (MAINTENANCE FREE)	8

**NOTE: 822-369C CAN BE USED IN PLACE OF 822-026C (With Needed Hardware)
822-293C CAN BE USED IN PLACE OF 822-208C**

**TURBO-TILL SERIES II
2400TT**

	PART#	DESCRIPTION	QUANTITY
Blades	820-261C	STANDARD BLADE	57
	820-011C	HEAVY BLADE	57
	822-369C	GANG BEARING (S/N 5251NN+) (MAINTENANCE FREE)	16
	822-026C	GANG BEARING (S/N 2759NN-5250NN) (GREASABLE)	16
Rolling Harrow	589-258H	LG SPIDER WHEEL (S/N 2759NN-5250NN)	47
	589-251H	SM SPIDER WHEEL (S/N 2759NN-5250NN)	5
	822-208C	SPIDER WHEEL BEARING (S/N 2759NN-5250NN) (GREASABLE)	8
	589-258H	LG SPIDER WHEEL (S/N 5251NN+)	47
	589-251H	SM SPIDER WHEEL (S/N 5251NN+)	1
	589-500H	MED SPIDER WHEEL (S/N 5251NN+)	4
	822-293C	SPIDER WHEEL BEARING (S/N 5251NN+) (MAINTENANCE FREE)	8
Reel	575-989H	5' HD REEL	1
	575-990H	6' HD REEL	3
	822-208C	REEL BEARING (S/N 2759NN-5250NN) (GREASABLE)	8
	822-293C	REEL BEARING (S/N 5251NN+) (MAINTENANCE FREE)	8

**NOTE: 822-369C CAN BE USED IN PLACE OF 822-026C (With Needed Hardware)
822-293C CAN BE USED IN PLACE OF 822-208C**

**TURBO-TILL SERIES II
3000TT**

	PART#	DESCRIPTION	QUANTITY
Blades	820-261C	STANDARD BLADE	73
	820-011C	HEAVY BLADE	73
	822-369C	GANG BEARING (S/N 5251NN+) (MAINTENANCE FREE)	24
	822-026C	GANG BEARING (S/N 2759NN-5250NN) (GREASABLE)	24
Rolling Harrow	589-258H	LG SPIDER WHEEL (S/N 2759NN-5250NN)	62
	589-251H	SM SPIDER WHEEL (S/N 2759NN-5250NN)	7
	822-208C	SPIDER WHEEL BEARING (S/N 2759NN-5250NN) (GREASABLE)	12
	589-258H	LG SPIDER WHEEL (S/N 5251NN+)	62
	589-251H	SM SPIDER WHEEL (S/N 5251NN+)	1
	589-500H	MED SPIDER WHEEL (S/N 5251NN+)	6
	822-293C	SPIDER WHEEL BEARING (S/N 5251NN+) (MAINTENANCE FREE)	12
Reel	575-989H	5' HD REEL	6
	822-208C	REEL BEARING (S/N 2759NN-5250NN) (GREASABLE)	12
	822-293C	REEL BEARING (S/N 5251NN+) (MAINTENANCE FREE)	12

**NOTE: 822-369C CAN BE USED IN PLACE OF 822-026C (With Needed Hardware)
822-293C CAN BE USED IN PLACE OF 822-208C**

**TURBO-TILL SERIES II
4000TT**

	PART#	DESCRIPTION	QUANTITY
Blades	820-261C	STANDARD BLADE	97
	820-011C	HEAVY BLADE	97
	822-369C	GANG BEARING (S/N 5251NN+) (MAINTENANCE FREE)	32
	822-026C	GANG BEARING (S/N 2759NN-5250NN) (GREASABLE)	32
Rolling Harrow	589-258H	LG SPIDER WHEEL (S/N 2759NN-5250NN)	84
	589-251H	SM SPIDER WHEEL (S/N 2759NN-5250NN)	10
	822-208C	SPIDER WHEEL BEARING (S/N 2759NN-5250NN) (GREASABLE)	18
	589-258H	LG SPIDER WHEEL (S/N 5251NN+)	84
	589-251H	SM SPIDER WHEEL (S/N 5251NN+)	1
	589-500H	MED SPIDER WHEEL (S/N 5251NN+)	9
	822-293C	SPIDER WHEEL BEARING (S/N 5251NN+) (MAINTENANCE FREE)	18
Reel	575-988H	3 1/2' HD REEL	2
	575-989H	5' HD REEL	4
	575-990H	6' HD REEL	2
	822-208C	REEL BEARING (S/N 2759NN-5250NN) (GREASABLE)	16
	822-293C	REEL BEARING (S/N 5251NN+) (MAINTENANCE FREE)	16

**NOTE: 822-369C CAN BE USED IN PLACE OF 822-026C (With Needed Hardware)
822-293C CAN BE USED IN PLACE OF 822-208C**

**TURBO MAX
850TM**

	PART#	DESCRIPTION	QUANTITY
Blades	820-011C	HEAVY BLADE	27
	822-369C	GANG BEARING (MAINTENANCE FREE)	8
Rolling Harrow	589-258H	LG SPIDER WHEEL	18
	589-251H	SM SPIDER WHEEL	1
	589-500H	MED SPIDER WHEEL	2
	822-293C	SPIDER WHEEL BEARING (MAINTENANCE FREE)	4
Reel	575-989H	5' HD REEL	2
	822-293C	REEL BEARING (MAINTENANCE FREE)	4

NOTE: 822-369C CAN BE USED IN PLACE OF 822-026C (With Needed Hardware)
822-293C CAN BE USED IN PLACE OF 822-208C

**TURBO MAX
1000TM**

	PART#	DESCRIPTION	QUANTITY
Blades	820-011C	HEAVY BLADE	31
	822-369C	GANG BEARING (MAINTENANCE FREE)	8
Rolling Harrow	589-258H	LG SPIDER WHEEL	21
	589-251H	SM SPIDER WHEEL	1
	589-500H	MED SPIDER WHEEL	2
	822-293C	SPIDER WHEEL BEARING (MAINTENANCE FREE)	4
Reel	575-989H	5' HD REEL	1
	575-990H	6' HD REEL	1
	822-293C	REEL BEARING (MAINTENANCE FREE)	4

**NOTE: 822-369C CAN BE USED IN PLACE OF 822-026C (With Needed Hardware)
822-293C CAN BE USED IN PLACE OF 822-208C**

**TURBO MAX
1200TM**

	PART#	DESCRIPTION	QUANTITY
Blades	820-011C	HEAVY BLADE	41
	822-369C	GANG BEARING (S/N C3157H+) (MAINTENANCE FREE)	8
	822-026C	GANG BEARING (S/N C3156H-) (GREASABLE)	8
Rolling Harrow	589-258H	LG SPIDER WHEEL (S/N C3156H-)	26
	589-251H	SM SPIDER WHEEL (S/N C3156H-)	4
	822-208C	SPIDER WHEEL BEARING (S/N C3156H-) (GREASABLE)	6
	589-258H	LG SPIDER WHEEL (S/N C3157H+)	27
	589-251H	SM SPIDER WHEEL (S/N C3157H+)	1
	589-500H	MED SPIDER WHEEL (S/N C3157H+)	3
	822-293C	SPIDER WHEEL BEARING (S/N C3157H+) (MAINTENANCE FREE)	6
Reel	575-990H	6' HD REEL	1
	575-987H	7' HD REEL	1
	822-208C	REEL BEARING (S/N C3156H-) (GREASABLE)	4
	822-293C	REEL BEARING (S/N C3157H+) (MAINTENANCE FREE)	4

**NOTE: 822-369C CAN BE USED IN PLACE OF 822-026C (With Needed Hardware)
822-293C CAN BE USED IN PLACE OF 822-208C**

**TURBO MAX
1500TM**

	PART#	DESCRIPTION	QUANTITY
Blades	820-011C	HEAVY BLADE	49
	822-369C	GANG BEARING (S/N C3157H+) (MAINTENANCE FREE)	12
	822-026C	GANG BEARING (S/N C3156H-) (GREASABLE)	12
Rolling Harrow	589-258H	LG SPIDER WHEEL (S/N C3156H-)	32
	589-251H	SM SPIDER WHEEL (S/N C3156H-)	4
	822-208C	SPIDER WHEEL BEARING (S/N C3156H-) (GREASABLE)	6
	589-258H	LG SPIDER WHEEL (S/N C3157H+)	33
	589-251H	SM SPIDER WHEEL (S/N C3157H+)	1
	589-500H	MED SPIDER WHEEL (S/N C3157H+)	3
	822-293C	SPIDER WHEEL BEARING (S/N C3157H+) (MAINTENANCE FREE)	6
Reel	575-989H	5' HD REEL	2
	575-990H	6' HD REEL	1
	822-208C	REEL BEARING (S/N C3156H-) (GREASABLE)	6
	822-293C	REEL BEARING (S/N C3157H+) (MAINTENANCE FREE)	6

NOTE: 822-369C CAN BE USED IN PLACE OF 822-026C (With Needed Hardware)
822-293C CAN BE USED IN PLACE OF 822-208C

**TURBO MAX
1800TM**

	PART#	DESCRIPTION	QUANTITY
Blades	820-011C	HEAVY BLADE	57
	822-369C	GANG BEARING (S/N C3157H+) (MAINTENANCE FREE)	16
	822-026C	GANG BEARING (S/N C3156H-) (GREASABLE)	16
Rolling Harrow	589-258H	LG SPIDER WHEEL (S/N C3156H-)	37
	589-251H	SM SPIDER WHEEL (S/N C3156H-)	5
	822-208C	SPIDER WHEEL BEARING (S/N C3156H-) (GREASABLE)	8
	589-258H	LG SPIDER WHEEL (S/N C3157H+)	38
	589-251H	SM SPIDER WHEEL (S/N C3157H+)	1
	589-500H	MED SPIDER WHEEL (S/N C3157H+)	4
	822-293C	SPIDER WHEEL BEARING (S/N C3157H+) (MAINTENANCE FREE)	8
Reel	575-988H	3 1/2' HD REEL	1
	575-989H	5' HD REEL	3
	822-208C	REEL BEARING (S/N C3156H-) (GREASABLE)	8
	822-293C	REEL BEARING (S/N C3157H+) (MAINTENANCE FREE)	8

NOTE: 822-369C CAN BE USED IN PLACE OF 822-026C (With Needed Hardware)
822-293C CAN BE USED IN PLACE OF 822-208C

**TURBO MAX
2400TM**

	PART#	DESCRIPTION	QUANTITY
Blades	820-011C	HEAVY BLADE	77
	822-369C	GANG BEARING (S/N C3157H+) (MAINTENANCE FREE)	18
	822-026C	GANG BEARING (S/N C3156H-) (GREASABLE)	18
Rolling Harrow	589-258H	LG SPIDER WHEEL (S/N C3156H-)	50
	589-251H	SM SPIDER WHEEL (S/N C3156H-)	5
	822-208C	SPIDER WHEEL BEARING (S/N C3156H-) (GREASABLE)	8
	589-258H	LG SPIDER WHEEL (S/N C3157H+)	50
	589-251H	SM SPIDER WHEEL (S/N C3157H+)	1
	589-500H	MED SPIDER WHEEL (S/N C3157H+)	4
	822-293C	SPIDER WHEEL BEARING (S/N C3157H+) (MAINTENANCE FREE)	8
	575-989H	5' HD REEL	1
	575-990H	6' HD REEL	1
Reel	575-987H	7' HD REEL	2
	822-208C	REEL BEARING (S/N C3156H-) (GREASABLE)	8
	822-293C	REEL BEARING (S/N C3157H+) (MAINTENANCE FREE)	8

**NOTE: 822-369C CAN BE USED IN PLACE OF 822-026C (With Needed Hardware)
822-293C CAN BE USED IN PLACE OF 822-208C**

**TURBO MAX
3000TM**

	PART#	DESCRIPTION	QUANTITY
Blades	820-011C	HEAVY BLADE	97
	822-369C	GANG BEARING (S/N C3157H+) (MAINTENANCE FREE)	24
	822-026C	GANG BEARING (S/N C3156H-) (GREASABLE)	24
Rolling Harrow	589-258H	LG SPIDER WHEEL (S/N C3156H-)	63
	589-251H	SM SPIDER WHEEL (S/N C3156H-)	7
	822-208C	SPIDER WHEEL BEARING (S/N C3156H-) (GREASABLE)	12
	589-258H	LG SPIDER WHEEL (S/N C3157H+)	64
	589-251H	SM SPIDER WHEEL (S/N C3157H+)	1
	589-500H	MED SPIDER WHEEL (S/N C3157H+)	6
	822-293C	SPIDER WHEEL BEARING (S/N C3157H+) (MAINTENANCE FREE)	12
Reel	575-989H	5' HD REEL	5
	575-990H	6' HD REEL	1
	822-208C	REEL BEARING (S/N C3156H-) (GREASABLE)	12
	822-293C	REEL BEARING (S/N C3157H+) (MAINTENANCE FREE)	12

NOTE: 822-369C CAN BE USED IN PLACE OF 822-026C (With Needed Hardware)
822-293C CAN BE USED IN PLACE OF 822-208C

**TURBO MAX
3500TM**

	PART#	DESCRIPTION	QUANTITY
Blades	820-011C	HEAVY BLADE	109
	822-369C	GANG BEARING (S/N C3157H+) (MAINTENANCE FREE)	28
	822-026C	GANG BEARING (S/N C3156H-) (GREASABLE)	28
Rolling Harrow	589-258H	LG SPIDER WHEEL (S/N C3156H-)	71
	589-251H	SM SPIDER WHEEL (S/N C3156H-)	8
	822-208C	SPIDER WHEEL BEARING (S/N C3156H-) (GREASABLE)	14
	589-258H	LG SPIDER WHEEL (S/N C3157H+)	72
	589-251H	SM SPIDER WHEEL (S/N C3157H+)	1
	589-500H	MED SPIDER WHEEL (S/N C3157H+)	7
	822-293C	SPIDER WHEEL BEARING (S/N C3157H+) (MAINTENANCE FREE)	14
Reel	575-989H	5' HD REEL	2
	575-990H	6' HD REEL	4
	822-208C	REEL BEARING (S/N C3156H-) (GREASABLE)	12
	822-293C	REEL BEARING (S/N C3157H+) (MAINTENANCE FREE)	12

NOTE: 822-369C CAN BE USED IN PLACE OF 822-026C (With Needed Hardware)
822-293C CAN BE USED IN PLACE OF 822-208C

**TURBO MAX
4000TM**

	PART#	DESCRIPTION	QUANTITY
Blades	820-011C	HEAVY BLADE	125
	822-369C	GANG BEARING (S/N C3157H+) (MAINTENANCE FREE)	36
	822-026C	GANG BEARING (S/N C3156H-) (GREASABLE)	36
Rolling Harrow	589-258H	LG SPIDER WHEEL (S/N C3156H-)	81
	589-251H	SM SPIDER WHEEL (S/N C3156H-)	10
	822-208C	SPIDER WHEEL BEARING (S/N C3156H-) (GREASABLE)	18
	589-258H	LG SPIDER WHEEL (S/N C3157H+)	82
	589-251H	SM SPIDER WHEEL (S/N C3157H+)	1
	589-500H	MED SPIDER WHEEL (S/N C3157H+)	9
	822-293C	SPIDER WHEEL BEARING (S/N C3157H+) (MAINTENANCE FREE)	18
	575-988H	3 1/2' HD REEL	4
	575-989H	5' HD REEL	2
Reel	575-990H	6' HD REEL	1
	575-987H	7' HD REEL	1
	822-208C	REEL BEARING (S/N C3156H-) (GREASABLE)	16
	822-293C	REEL BEARING (S/N C3157H+) (MAINTENANCE FREE)	16

NOTE: 822-369C CAN BE USED IN PLACE OF 822-026C (With Needed Hardware)
822-293C CAN BE USED IN PLACE OF 822-208C

**TURBO MAX
4800TM**

	PART#	DESCRIPTION	QUANTITY
Blades	820-011C	HEAVY BLADE	153
	822-369C	GANG BEARING (MAINTENANCE FREE)	40
Rolling Harrow	589-258H	LG SPIDER WHEEL	102
	589-251H	SM SPIDER WHEEL	1
	589-500H	MED SPIDER WHEEL	11
	822-293C	SPIDER WHEEL BEARING (MAINTENANCE FREE)	22
Reel	575-988H	3 1/2' HD REEL	4
	575-989H	5' HD REEL	4
	575-990H	6' HD REEL	2
	822-208C	REEL BEARING (S/N C3156H-) (GREASABLE)	20
	822-293C	REEL BEARING (S/N C3157H+) (MAINTENANCE FREE)	20

**NOTE: 822-369C CAN BE USED IN PLACE OF 822-026C (With Needed Hardware)
822-293C CAN BE USED IN PLACE OF 822-208C**

**TURBO CHOPPER
1200TC**

	PART#	DESCRIPTION	QUANTITY
Blades	820-261C	STANDARD BLADE	14
	820-011C	HEAVY BLADE	14
	822-369C	GANG BEARING (S/N A1810Y+) (MAINTENANCE FREE)	4
	822-026C	GANG BEARING (S/N A1809Y-) (GREASABLE)	4
Rolling Harrow	589-258H	LG SPIDER WHEEL (S/N A1809Y-)	24
	589-251H	SM SPIDER WHEEL (S/N A1809Y-)	4
	822-208C	SPIDER WHEEL BEARING (S/N A1809Y-) (GREASABLE)	6
	589-258H	LG SPIDER WHEEL (S/N A1810Y+)	24
	589-251H	SM SPIDER WHEEL (S/N A1810Y+)	1
	589-500H	MED SPIDER WHEEL (S/N A1810Y+)	3
	822-293C	SPIDER WHEEL BEARING (S/N A1810Y+) (MAINTENANCE FREE)	6
Chopper Blades	820-409C	5" CHOPPER BLADE	12
	820-410C	7" CHOPPER BLADE	12
	820-414C	46" CHOPPER BLADE	6
	820-415C	56" CHOPPER BLADE	6
	822-369C	CHOPPER REEL BEARING (S/N A1810Y+) (MAINTENANCE FREE)	4
	822-026C	CHOPPER REEL BEARING (S/N A1809Y-) (GREASABLE)	4
Reel	575-990H	6' HD REEL	2
	822-208C	REEL BEARING (S/N A1810Y+) (MAINTENANCE FREE)	4
	822-293C	REEL BEARING (S/N A1809Y-) (GREASABLE)	4

**NOTE: 822-369C CAN BE USED IN PLACE OF 822-026C (With Needed Hardware)
822-293C CAN BE USED IN PLACE OF 822-208C**

**TURBO CHOPPER
1500TC**

	PART#	DESCRIPTION	QUANTITY
Blades	820-261C	STANDARD BLADE	18
	820-011C	HEAVY BLADE	18
	822-369C	GANG BEARING (S/N A1810Y+) (MAINTENANCE FREE)	6
	822-026C	GANG BEARING (S/N A1809Y-) (GREASABLE)	6
Rolling Harrow	589-258H	LG SPIDER WHEEL (S/N A1809Y-)	32
	589-251H	SM SPIDER WHEEL (S/N A1809Y-)	4
	822-208C	SPIDER WHEEL BEARING (S/N A1809Y-) (GREASABLE)	6
	589-258H	LG SPIDER WHEEL (S/N A1810Y+)	32
	589-251H	SM SPIDER WHEEL (S/N A1810Y+)	1
	589-500H	MED SPIDER WHEEL (S/N A1810Y+)	3
	822-293C	SPIDER WHEEL BEARING (S/N A1810Y+) (MAINTENANCE FREE)	6
Chopper Blades	820-409C	5" CHOPPER BLADE	12
	820-410C	7" CHOPPER BLADE	24
	820-412C	26" CHOPPER BLADE	6
	820-414C	46" CHOPPER BLADE	12
	822-369C	CHOPPER REEL BEARING (S/N A1810Y+) (MAINTENANCE FREE)	6
	822-026C	CHOPPER REEL BEARING (S/N A1809Y-) (GREASABLE)	6
Reel	575-989H	5' HD REEL	2
	575-990H	6' HD REEL	1
	822-208C	REEL BEARING (S/N A1810Y+) (MAINTENANCE FREE)	6
	822-293C	REEL BEARING (S/N A1809Y-) (GREASABLE)	6

**NOTE: 822-369C CAN BE USED IN PLACE OF 822-026C (With Needed Hardware)
822-293C CAN BE USED IN PLACE OF 822-208C**

**TURBO CHOPPER
1800TC**

	PART#	DESCRIPTION	QUANTITY
Blades	820-261C	STANDARD BLADE	21
	820-011C	HEAVY BLADE	21
	822-369C	GANG BEARING (S/N A1810Y+) (MAINTENANCE FREE)	8
	822-026C	GANG BEARING (S/N A1809Y-) (GREASABLE)	8
Rolling Harrow	589-258H	LG SPIDER WHEEL (S/N A1809Y-)	35
	589-251H	SM SPIDER WHEEL (S/N A1809Y-)	5
	822-208C	SPIDER WHEEL BEARING (S/N A1809Y-) (GREASABLE)	8
	589-258H	LG SPIDER WHEEL (S/N A1810Y+)	35
	589-251H	SM SPIDER WHEEL (S/N A1810Y+)	1
	589-500H	MED SPIDER WHEEL (S/N A1810Y+)	4
	822-293C	SPIDER WHEEL BEARING (S/N A1810Y+) (MAINTENANCE FREE)	8
Chopper Blades	820-409C	5" CHOPPER BLADE	36
	820-410C	7" CHOPPER BLADE	12
	820-412C	26" CHOPPER BLADE	12
	820-413C	36" CHOPPER BLADE	12
	822-369C	CHOPPER REEL BEARING (S/N A1810Y+) (MAINTENANCE FREE)	8
	822-026C	CHOPPER REEL BEARING (S/N A1809Y-) (GREASABLE)	8
Reel	575-988H	3 1/2' HD REEL	1
	575-989H	5' HD REEL	3
	822-208C	REEL BEARING (S/N A1810Y+) (MAINTENANCE FREE)	8
	822-293C	REEL BEARING (S/N A1809Y-) (GREASABLE)	8

**NOTE: 822-369C CAN BE USED IN PLACE OF 822-026C (With Needed Hardware)
822-293C CAN BE USED IN PLACE OF 822-208C**

**TURBO CHOPPER
2400TC**

	PART#	DESCRIPTION	QUANTITY
Blades	820-261C	STANDARD BLADE	28
	820-011C	HEAVY BLADE	28
	822-369C	GANG BEARING (S/N A1810Y+) (MAINTENANCE FREE)	8
	822-026C	GANG BEARING (S/N A1809Y-) (GREASABLE)	8
Rolling Harrow	589-258H	LG SPIDER WHEEL (S/N A1809Y-)	47
	589-251H	SM SPIDER WHEEL (S/N A1809Y-)	5
	822-208C	SPIDER WHEEL BEARING (S/N A1809Y-) (GREASABLE)	8
	589-258H	LG SPIDER WHEEL (S/N A1810Y+)	47
	589-251H	SM SPIDER WHEEL (S/N A1810Y+)	1
	589-500H	MED SPIDER WHEEL (S/N A1810Y+)	4
	822-293C	SPIDER WHEEL BEARING (S/N A1810Y+) (MAINTENANCE FREE)	8
Chopper Blades	820-409C	5" CHOPPER BLADE	36
	820-410C	7" CHOPPER BLADE	12
	820-413C	36" CHOPPER BLADE	6
	820-414C	46" CHOPPER BLADE	6
	820-415C	56" CHOPPER BLADE	12
	822-369C	CHOPPER REEL BEARING (S/N A1810Y+) (MAINTENANCE FREE)	8
	822-026C	CHOPPER REEL BEARING (S/N A1809Y-) (GREASABLE)	8
Reel	575-989H	5' HD REEL	1
	575-990H	6' HD REEL	3
	822-208C	REEL BEARING (S/N A1810Y+) (MAINTENANCE FREE)	8
	822-293C	REEL BEARING (S/N A1809Y-) (GREASABLE)	8

**NOTE: 822-369C CAN BE USED IN PLACE OF 822-026C (With Needed Hardware)
822-293C CAN BE USED IN PLACE OF 822-208C**

**TURBO CHOPPER
3000TC**

	PART#	DESCRIPTION	QUANTITY
Blades	820-261C	STANDARD BLADE	36
	820-011C	HEAVY BLADE	36
	822-369C	GANG BEARING (S/N A1810Y+) (MAINTENANCE FREE)	12
	822-026C	GANG BEARING (S/N A1809Y-) (GREASABLE)	12
Rolling Harrow	589-258H	LG SPIDER WHEEL (S/N A1809Y-)	62
	589-251H	SM SPIDER WHEEL (S/N A1809Y-)	7
	822-208C	SPIDER WHEEL BEARING (S/N A1809Y-) (GREASABLE)	12
	589-258H	LG SPIDER WHEEL (S/N A1810Y+)	62
	589-251H	SM SPIDER WHEEL (S/N A1810Y+)	1
	589-500H	MED SPIDER WHEEL (S/N A1810Y+)	6
	822-293C	SPIDER WHEEL BEARING (S/N A1810Y+) (MAINTENANCE FREE)	12
Chopper Blades	820-409C	5" CHOPPER BLADE	36
	820-410C	7" CHOPPER BLADE	36
	820-413C	36" CHOPPER BLADE	30
	820-414C	46" CHOPPER BLADE	6
	822-369C	CHOPPER REEL BEARING (S/N A1810Y+) (MAINTENANCE FREE)	12
	822-026C	CHOPPER REEL BEARING (S/N A1809Y-) (GREASABLE)	12
Reel	575-989H	5' HD REEL	6
	822-208C	REEL BEARING (S/N A1810Y+) (MAINTENANCE FREE)	12
	822-293C	REEL BEARING (S/N A1809Y-) (GREASABLE)	12

**NOTE: 822-369C CAN BE USED IN PLACE OF 822-026C (With Needed Hardware)
822-293C CAN BE USED IN PLACE OF 822-208C**

**TURBO CHOPPER
4000TC**

	PART#	DESCRIPTION	QUANTITY
Blades	820-261C	STANDARD BLADE	48
	820-011C	HEAVY BLADE	48
	822-369C	GANG BEARING (S/N A1810Y+) STANDARD BLADE (MAINTENANCE FREE)	16
	822-369C	GANG BEARING (S/N A1810Y+) HEAVY BLADE (MAINTENANCE FREE)	16
	822-026C	GANG BEARING (S/N A1809Y-) STANDARD BLADE (GREASABLE)	16
	822-026C	GANG BEARING (S/N A1809Y-) HEAVY BLADE (GREASABLE)	16
Rolling Harrow	589-258H	LG SPIDER WHEEL (S/N A1809Y-)	84
	589-251H	SM SPIDER WHEEL (S/N A1809Y-)	10
	822-208C	SPIDER WHEEL BEARING (S/N A1809Y-) (GREASABLE)	18
	589-258H	LG SPIDER WHEEL (S/N A1810Y+)	84
	589-251H	SM SPIDER WHEEL (S/N A1810Y+)	1
	589-500H	MED SPIDER WHEEL (S/N A1810Y+)	9
	822-293C	SPIDER WHEEL BEARING (S/N A1810Y+) (MAINTENANCE FREE)	18
	820-409C	5" CHOPPER BLADE	60
	820-410C	7" CHOPPER BLADE	36
Chopper Blades	820-412C	26" CHOPPER BLADE	12
	820-413C	36" CHOPPER BLADE	24
	820-414C	46" CHOPPER BLADE	6
	820-415C	56" CHOPPER BLADE	6
	822-369C	CHOPPER REEL BEARING (S/N A1810Y+) (MAINTENANCE FREE)	18
	822-026C	CHOPPER REEL BEARING (S/N A1809Y-) (GREASABLE)	18

**NOTE: 822-369C CAN BE USED IN PLACE OF 822-026C (With Needed Hardware)
822-293C CAN BE USED IN PLACE OF 822-208C**